

TimeLink TM 3.0 Series

Interactive Display Specification

Product Appearance



1. Display Parameters

Size	65", 75", 86"
Panel Brand	LG,AUO (Fullfill Quality Standard)
Resolution	4K (3840 X 2160)
Aspect Ratio	16 : 9
Brightness	350 cd/m2
Contrast Ratio	5000:1(65") /4000:1(75") /1200:1(86")
Refresh Rate	60Hz
Viewing Angle	178°
Glass Type	Anti-Glare
Glass Hardness	9H (pencil) , 7(Mohs)
Thickness	4mm
Lifetime	50,000 hours
Speaker	2 x 15w peak facing sound

2. Touch Function Parameters

Touch Technology	Surface Light Wave
Touch Points	32 touch at Windows,20 touch at Android
Contact Height	1.5mm
Touch Accuracy	1mm
Touch Response Time	5ms for 5 touch points
Palm Rejection	Yes
Gesture Recognition	Yes
Pen ID	2 Pens
Pen Distinguish	2.5mm pen+ 6.4mm Pen +Finger distinguish
Simultaneous Touch Points	4 Pens + 5 Touch
Compatibility	Windows, Mac, Android, Linux, Chrome

3. Android System Parameters

Android OS	Android 8.0
Chipset	Hisilicon 811
CPU	ARM A73*2@1.5GHz A53*2@1.5GHz
GPU	G51
RAM (DDR)	4GB
EMMC	32GB

4. Connectivity

Connectivity	USB3.0	2
	Touch USB	4
	HDMI IN	3
	DP	1
	USB 2.0	2
	RJ45 OUT	1
	RJ45 IN	1
	HDMI OUT	1
	Coax	1
	RS232	1
	Earphone & Line Out	1
	MINI AV IN	1
	MINI YPBPR IN	1
	AUDIO IN	1
	VGA	1
	WIFI	802.11 b/g/n/ac
	TF CARD	1
Front Buttons	Power & Sleep, HOME, V+, V-, Source, Menu, Disable Touch	

5. Power

Power	AC 100~240V
Power Consumption	65"(250w), 75" (350W) 86"(480W)
Power Consumption (Standby)	<1w

6. Applications

Android OS	WhiteBoard, Mirroring
Windows OS	WhiteBoard, Mirroring

7. Accessories

AC Power Cable (According Region)	1 (1.5Meters)
HDMI Cable	1 (3 Meters)
Touch USB Cable	1 (3 Meters)
IR Remote Control	1
Writing Pen	2
Sealed Antistatic Bag	1
Physical Eraser	1
VESA Mount	1
VESA Mount screws (M6)	4